



臨床研究イノベーションセンター

メタデータ	言語: Japanese 出版者: 福島県立医科大学附属学術情報センター 公開日: 2019-04-25 キーワード (Ja): キーワード (En): 作成者: メールアドレス: 所属:
URL	https://fmu.repo.nii.ac.jp/records/2000851

臨床研究イノベーションセンター

論文

〔原著〕

Wu HY, Fukuma S, Shimizu S, Norton EC, Tu YK, Hung KY, Chen MR, Chien KL, Fukuhara S. Effects of Higher Quality of Care on Initiation of Long-term Dialysis in Patients With CKD and Diabetes. *American Journal of Kidney Diseases*. 201707; 70(5):666-674.

Kido R, Akizawa T, Fukagawa M, Onishi Y, Yamaguchi T, Fukuhara S. Interactive Effectiveness of Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers or Their Combination on Survival of Hemodialysis Patients. *American Journal of Nephrology*. 2017; 46(6):439-447.

Takada T, Yamamoto Y, Terada K, Ohta M, Mikami W, Yokota H, Hayashi M, Miyashita J, Azuma T, Fukuma S, Fukuhara S. Diagnostic utility of appetite loss in addition to existing prediction models for community-acquired pneumonia in the elderly: a prospective diagnostic study in acute care hospitals in Japan. *BMJ Open*. 201711; 7(11):e019155.

Fukuma S, Ikenoue T, Akizawa T, Fukuhara S. Impact of nutritional index on the association between phosphorus concentrations and mortality in haemodialysis patients: a cohort study from dialysis outcomes and practice pattern study in Japan. *BMJ Open*. 201708; 7(8):e016682.

Shoji T, Niihata K, Fukuma S, Fukuhara S, Akizawa T, Inaba M. Both low and high serum ferritin levels predict mortality risk in hemodialysis patients without inflammation. *Clinical and Experimental Nephrology*. 201708; 21(4):685-693.

Fukuma S, Shimizu S, Niihata K, Sada K, Yanagita M, Hatta T, Nangaku M, Katafuchi R, Fujita Y, Koizumi J, Koizumi S, Kimura K, Fukuhara S, Shibagaki Y. Development of quality indicators for care of chronic kidney disease in the primary care setting using electronic health data: a RAND-modified Delphi method. *Clinical and Experimental Nephrology*. 201704; 21(2):247-256.

Ogata H, Kumasawa J, Fukuma S, Mizobuchi M, Kinugasa E, Fukagawa M, Fukuhara S, Akizawa T. The cardiothoracic ratio and all-cause and cardiovascular disease mortality in patients undergoing maintenance hemodialysis: results of the MBD-5D study. *Clinical and Experimental Nephrology*. 201710; 21(5):797-806.

Tsujimoto Y, Tsujimoto H, Nakata Y, Kataoka Y, Kimachi M, Shimizu S, Ikenoue T, Fukuma S, Yosuke Y, Fukuhara S. Dialysate temperature reduction for intradialytic hypotension for people with chronic kidney disease requiring haemodialysis (Protocol). *Cochrane Database of Systematic Reviews*. 201703;

2017(3):CD012598.

Tsutsumi Y, Tsutsumi I, Tsujimoto Y, Takahashi S, Tsuchiya A, Miyakoshi C, Fukuma S, Furukawa T. Hyperbaric oxygen therapy for persistent post-concussion syndrome following mild traumatic brain injury. *Cochrane Database of Systematic Reviews*. 201707; 2017(7):CD012727.

Kimachi M, Furukawa T, Kimachi K, Goto Y, Fukuma S, Fukuhara S. Direct oral anticoagulants versus warfarin for preventing stroke and systemic embolic events among atrial fibrillation patients with chronic kidney disease. *Cochrane Database of Systematic Reviews*. 201711; 2017(11):CD011373.

Nakayama T, Imanaka Y, Okuno Y, Kato G, Kuroda T, Goto R, Tanaka S, Tamura H, Fukuhara S, Fukuma S, Muto M, Yanagita M, Yamamoto Y. Analysis of the Evidence-practice Gap to Facilitate Proper Medical Care for the Elderly: Investigation, using Databases, of Utilization Measures for National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB). *Environmental Health and Preventive Medicine*. 201706; 22(1):51.

Aoki T, Miyashita J, Yamamoto Y, Ikenoue T, Kise M, Fujinuma Y, Fukuma S, Kimachi M, Shimizu S, Fukuhara S. Patient experience of primary care and advance care planning: a multicentre cross-sectional study in Japan. *Family Practice*. 201704; 34(2):206-212.

Yamada K, Nakagawa T, Hatto H, Miyachi J, Narushima M, Sakushima K, Fukuma S, Yamada Y, Fukuhara S. Adequacy of initial evaluation of fever in long-term care facilities. *Geriatrics & Gerontology International*. 201709; 17(9):1294-1299.

Aoki T, Ikenoue T, Yamamoto Y, Kise M, Fujinuma Y, Fukuma S, Fukuhara S. Attributes of primary care in relation to polypharmacy: a multicenter cross-sectional study in Japan. *International Journal for Quality in Health Care*. 201706; 29(3):378-383.

Kamitani T, Yamamoto Y, Kurita N, Yamazaki S, Fukuma S, Otani K, Sekiguchi M, Onishi Y, Takegami M, Ono R, Konno S, Kikuchi S, Fukuhara S. Longitudinal Association Between Subjective Fatigue and Future Falls in Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study (LOHAS). *Journal of Aging and Health*. 201707; 898264317721825.

Hashimoto S, Nagai M, Fukuma S, Ohira T, Hosoya M, Yasumura S, Satoh H, Suzuki H, Sakai A, Ohtsuru A, Kawasaki Y, Takahashi A, Ozasa K, Kobashi G, Kamiya K, Yamashita S, Fukuhara S, Ohto H, Abe M. Influence of post-disaster evacuation on incidence of metabolic syndrome. *Journal of Atherosclerosis and Thrombosis*. 201701; 24(3):327-337.

Honda M, Wong SL, Healy MA, Nakajima T, Watanabe M, Fukuma S, Fukuhara S, Ayanian JZ. Long-term Trends in Primary Sites of Gastric Adenocarcinoma in Japan and the United States. *Journal of Cancer*. 2017; 8(11):1935-1942.

Tsujimoto Y, Tsujimoto H, Kataoka Y, Kimachi M, Shimizu S, Ikenoue T, Fukuma S, Yamamoto Y, Fukuhara S. Majority of systematic reviews published in high-impact journals neglected to register the protocols: a meta-

epidemiological study. *Journal of Clinical Epidemiology*. 201702; 84:54-60.

Kataoka Y, Yamamoto S, Omae K, Kokubo M, Goto Y, Takada T, Naganuma T, Nishiwaki H, Yajima N. A novel approach of understanding prediction models: TRIPOD framework. *Journal of General and Family Medicine*. 201710; 18(5):319-320.

Fukuma S, Ahmed S, Goto R, Inui TS, Atun R, Fukuhara S. Fukushima after the Great East Japan Earthquake: lessons for developing responsive and resilient health systems. *Journal of Global Health*. 201706; 7(1):010501.

Nikaido T, Fukuma S, Wakita T, Sekiguchi M, Yabuki S, Onishi Y, Fukuhara S, Konno SI. Development of a profile scoring system for assessing the psychosocial situation of patients with chronic musculoskeletal pain. *Journal of Pain Research*. 2017; 10:1853-1859.

Kurita N, Hayashino Y, Yamazaki S, Akizawa T, Akiba T, Saito A, Fukuhara S. Revisiting Interdialytic Weight Gain and Mortality Association With Serum Albumin Interactions: The Japanese Dialysis Outcomes and Practice Pattern Study. *Journal of Renal Nutrition*. 201711; 27(6):421-429.

Hoshino J, Larkina M, Karaboyas A, Bieber BA, Ubara Y, Takaichi K, Akizawa T, Akiba T, Fukuhara S, Pisoni RL, Saito A, Robinson BM. Unique hemoglobin A1c level distribution and its relationship with mortality in diabetic hemodialysis patients. *Kidney International*. 201708; 92(2):497-503.

Kataoka Y, Yamamoto Y, Otsuki T, Kaku S, Maehashi-Wada N, Fukuma S, Hirabayashi M, Nakano T, Fukuhara S. External validation of prognostic indices for overall survival of malignant pleural mesothelioma. *Lung Cancer*. 201711; 113:88-92.

Yokoyama K, Kurita N, Fukuma S, Akizawa T, Fukagawa M, Onishi Y, Kurokawa K, Fukuhara S. Frequent monitoring of mineral metabolism in hemodialysis patients with secondary hyperparathyroidism: associations with achievement of treatment goals and with adjustments in therapy. *Nephrology, Dialysis, Transplantation*. 201703; 32(3):534-541.

Sasaki S, Kawarazaki H, Hasegawa T, Shima H, Naganuma T, Shibagaki Y. Anemia and Long-Term Renal Prognosis in Patients with Post-Renal Acute Kidney Injury of Nonmalignant Cause. *Nephron*. 201701; 135(2):129-136.

Omae K, Tsujimoto Y, Honda M, Kondo T, Tanabe K, Fukuhara S, Furukawa TA. Comparative efficacy and safety of bone-modifying agents for the treatment of bone metastases in patients with advanced renal cell carcinoma: a systematic review and meta-analysis. *Oncotarget*. 201709; 8(40):68890-68898.

Sasaki S, Hasegawa T, Kawarazaki H, Nomura A, Uchida D, Imaizumi T, Furusho M, Nishiwaki H, Fukuma S, Shibagaki Y, Fukuhara S; Japanese investigators with Innovative Network for Kidney Disease: JOINT-KD. Development and Validation of a Clinical Prediction Rule for Bacteremia among Maintenance Hemodialysis Patients in Outpatient Settings. *PLOS ONE*. 201701; 12(1):e0169975.

Imanishi Y, Fukuma S, Karaboyas A, Robinson MB, Pisoni LR, Nomura T, Akiba T, Akizawa T, Kurokawa K, Saito A, Fukuhara S, Inaba M. Associations of employment status and educational levels with mortality and hospitalization in the Dialysis Outcomes and Practice Patterns Study in Japan. PLOS ONE. 201703; 12(3):e0170731.

Matsubara Y, Kimachi M, Fukuma S, Onishi Y, Fukuhara S. Development of a new risk model for predicting cardiovascular events among hemodialysis patients: Population-based hemodialysis patients from the Japan Dialysis Outcome and Practice Patterns Study (J-DOPPS). PLOS ONE. 201703; 12(3):e0173468.

Niihata K, Fukuma S, Akizawa T, Fukuhara S. Association of coping strategies with mortality and health-related quality of life in hemodialysis patients: The Japan Dialysis Outcomes and Practice Patterns Study. PLOS ONE. 201707; 12(7):e0180498.

Kitagawa M, Sada KE, Hinamoto N, Kimachi M, Yamamoto Y, Onishi Y, Fukuhara S. Shorter dialysis session length was not associated with lower mental health and physical functioning in elderly hemodialysis patients: Results from the Japan Dialysis Outcome and Practice Patterns Study (J-DOPPS). PLOS ONE. 201709; 12(9):e0184019.

Kato K, Sekiguchi M, Nikaido T, Otoshi K, Matsuo Y, Igari T, Kobayashi Y, Takegami M, Fukumori N, Fukuma S, Kikuchi S, Fukuhara S, Konno S. Psychosocial Stress after a Disaster and Low Back Pain-Related Interference with Daily Living Among College Students. Spine. 201708; 42(16):1255-1260.

Mizobuchi M, Ogata H, Onishi Y, Fukuma S, Akizawa T, Fukuhara S. RAS Inhibitor was not associated with cardiovascular benefits in patients undergoing hemodialysis in Japan. Therapeutic Apheresis and Dialysis. 201708; 21(4):326-333.

Omae K, Fukuma S, Ikenoue T, Kondo T, Takagi T, Ishihara H, Tanabe K, Fukuhara S. Effect of ABO blood type on the outcomes of patients with metastatic renal cell carcinoma treated with first-line tyrosine kinase inhibitors. Urologic Oncology. 201709; 35(9):540.e7-540.e12.

福原俊一, 片岡裕貴. 優れた臨床研究は、あなたの診療現場から生まれる 総合診療医のための臨床研究実践講座 (第1回) 臨床研究者になるための6つの要件 研修医や若手医師の皆さんへのメッセージ. G ノート. 201706; 4(4):836-842.

近藤尚哉, 武藤 学, 福原俊一, 柳田素子. 慢性腎不全における抗がん剤治療とその成績 慢性透析患者におけるがん薬物療法の実態 Japan cancer and hemodialysis cohort(J-CANDY-C)の知見から 第61回日本透析医学会学術集会・総会ワークショップより. 日本透析医学会雑誌. 201701; 50(1):64-65.

栗田宜明, 脇田貴文, 福原俊一, 柴垣有吾. 効果的な患者指導のエビデンス作成を目指した尺度開発と検証の実際. 日本透析医学会雑誌. 201703; 50(3):180-181.

福原俊一, 福岡真悟. 「勘違い」から始める臨床研究 研究の旅で遭難しないために (第14回) その結果からその結論は言えるのか? (前編). 臨床整形外科. 201702; 52(2):169-172.

福原俊一, 福間真悟. 「勘違い」から始める臨床研究 研究の旅で遭難しないために (第 15 回) その結果からその結論は言えるのか? 目的と方法が一致しているか? 臨床整形外科. 201703; 52(3):277-283.

福間真悟, 福原俊一. 「勘違い」から始める臨床研究 研究の旅で遭難しないために (第 16 回) リンゴとオレンジを比べる? 臨床整形外科. 201705; 52(5):487-490.

福間真悟, 福原俊一. 「勘違い」から始める臨床研究 研究の旅で遭難しないために (第 17 回) 方法自体がゆるくないか? 臨床整形外科. 201709; 52(9):910-913.

〔その他〕

Ogata H, Kumasawa J, Fukuma S, Mizobuchi M, Kinugasa E, Fukagawa M, Fukuhara S, Akizawa T. Erratum to: The cardiothoracic ratio and all-cause and cardiovascular disease mortality in patients undergoing maintenance hemodialysis: results of the MBD-5D study. Clinical and Experimental Nephrology. 201710; 21(5):807-808,809.

石原仁毅, 福間真悟, 柳田素子. Mendelian randomization. 腎臓内科・泌尿器科. 201701; 5(1):77-81.

新医療系学部設置準備室

論 文

〔原 著〕

Taichi M, Nomura S, Nakase I, Imamaki R, Kizuka Y, Ota F, Dohmae N, Kitazume S, Taniguchi N, Tanaka K. In Situ Ligation of High- and Low-Affinity Ligands to Cell Surface Receptors Enables Highly Selective Recognition. Advanced Science (Weinheim, Baden-Wurttemberg, Germany). 201711; 4(11):1700147.

Iokawa K, Hasegawa K, Ishikawa T. Possible effectiveness of collaboration between occupational therapists and care managers using the Management Tool for Daily Life Performance for stroke patients in transitional care. Asian Journal of Occupational Therapy. 201711; 13:79-86.

Watanabe K, Otani K, Nikaido T, Kato K, Kobayashi H, Yabuki S, Kikuchi SI, Konno SI. Surgical Outcomes of Cervical Myelopathy in Patients with Athetoid Cerebral Palsy: A 5-Year Follow-Up. Asian Spine Journal. 201712; 11(6):928-934.

Kizuka Y, Kitazume S, Taniguchi N. N-glycan and Alzheimer's disease. Biochimica et Biophysica Acta. 201710; 1861(10):2447-2454.