



## 脳疾患センター

メタデータ	言語: Japanese 出版者: 福島県立医科大学附属学術情報センター 公開日: 2020-05-15 キーワード (Ja): キーワード (En): 作成者: メールアドレス: 所属:
URL	<a href="https://fmu.repo.nii.ac.jp/records/2001001">https://fmu.repo.nii.ac.jp/records/2001001</a>

動性下行性痛み調節系の可塑的变化についての検討ー. 日本麻酔科学会第 65 回学術集会; 20180517; 横浜.

須藤貴史, 齋藤 繁, 小幡英章. 神経障害性疼痛モデル慢性期におけるデュロキセチンによる鎮痛の減弱とそのメカニズム. 日本麻酔科学会第 65 回学術集会; 20180517; 横浜.

佐藤 薫, 中野裕子, 大石理江子, 小幡英章, 村川雅洋. 直腸がん再発腫瘍摘出後の難治性疼痛に筋膜リリース注射が著効した一例. 日本ペインクリニック学会第 52 回大会; 20180720; 東京. 日本ペインクリニック学会誌. 25(3):159.

### 〔その他〕

小幡英章. 慢性痛の基礎研究. 第 42 回東北ペインクリニック学会; 20180324; 山形. プログラム・抄録集. 15.

## 脳疾患センター

### 論 文

#### 〔原 著〕

Nakashima T, Hatano N, Kanamori F, Muraoka S, Kawabata T, Takasu S, Watanabe T, Kojima T, Nagatani T, Seki Y. Tumor Volume Decrease via Feeder Occlusion for Treating a Large, Firm Trigone Meningioma. NMC Case Report Journal. 201801; 5(1):9-14.

山口純矢, 小島隆生, 加藤紀子, 関 行雄. 皮質性くも膜下出血で発症した妊娠関連脳卒中の検討. 脳卒中. 201805; 40(3):157-162.

### 研究発表等

#### 〔研究発表〕

Kojima T, Seki Y, Yasui K, Morozumi S, Uematsu T, Hara M, Saito K. Dural arteriovenous fistula presenting spinal venous reflux. SNR 2018 - XXI Symposium Neuroradiologicum; 20180319; Taipei, Taiwan.

小島隆生, 太田圭祐, 浅井琢美, 植松高史, 安井敬三, 関 行雄, 佐久間潤, 齋藤 清. 脳主幹動脈急性閉塞に対する脳血管内治療: 中程度から広範な虚血性変化を呈する症例の検討. 第 47 回日本脳卒中の外科学会; 20180315; 福岡.

小島隆生, 織田恵子, 佐藤直樹, 堀内一臣, 市川 剛, 前田卓哉, 紺野 豊, 佐藤昌宏, 平 敏, 後藤 健, 小林 亨, 齋藤 清. Mobile interventional team を活用した経皮的血栓回収術ー地方都市における取り組みー.

一般社団法人日本脳神経外科学会第77回学術総会; 20181012; 仙台.

小島隆生, 佐久間潤, 織田恵子, 関 行雄, 安井敬三, 原 政人, 齋藤 清. 脊髄硬膜動静脈瘻の長期的治療成績. 第34回NPO法人日本脳神経血管内治療学会学術総会; 20181122; 仙台.

## 臨床研究教育推進部

### 論 文

#### 〔原 著〕

Iyoda T, Kurita N, Takada A, Watanabe H, Ando M. Resolution of Infliximab-Refractory Nivolumab-Induced Acute Severe Enterocolitis After Cyclosporine Treatment in a Patient with Non-Small Cell Lung Cancer. *American Journal of Case Reports*. 201803; 19:360-364.

Ishihara H, Takagi T, Kondo T, Tachibana H, Yoshida K, Omae K, Iizuka J, Kobayashi H, Tanabe K. Efficacy and safety of third-line molecular-targeted therapy in metastatic renal cell carcinoma resistant to first-line vascular endothelial growth factor receptor tyrosine kinase inhibitor and second-line therapy. *International Journal of Clinical Oncology*. 201806; 23(3):559-567.

Iida H, Kurita N, Fujimoto S, Kamijo Y, Ishibashi Y, Fukuma S, Fukuhara S. Association between keeping home records of catheter exit-site and incidence of peritoneal dialysis-related infections. *International Urology and Nephrology*. 201801; 50(4):763-769.

Ishihara H, Takagi T, Kondo T, Iwamoto K, Tachibana H, Yoshida K, Omae K, Iizuka J, Kobayashi H, Tanabe K. Decreased relative dose intensity during the early phase of treatment impacts the therapeutic efficacy of sunitinib in metastatic renal cell carcinoma. *Japanese Journal of Clinical Oncology*. 201807; 48(7):667-672.

Niihata K, Takahashi S, Kurita N, Yajima N, Omae K, Fukuma S, Okano T, Nomoto Y, Omori K, Fukuhara S; Sukagawa Study Group. Association Between Accumulation of Advanced Glycation End-Products and Hearing Impairment in Community-Dwelling Older People: A Cross-Sectional Sukagawa Study. *Journal of the American Medical Directors Association*. 201803; 19(3):235-239.e1.

Ishiyama R, Kondo T, Takagi T, Iizuka J, Kobayashi H, Omae K, Fukuda H, Ishihara H, Tanabe K. Impact of the Mayo Adhesive Probability Score on the Complexity of Robot-Assisted Partial Nephrectomy. *Journal of Endourology*. 201810; 32(10):928-933.

Fukuma S, Kimachi M, Omae K, Kataoka Y, Yamazaki H, Muto M, Akizawa T, Yanagita M, Fukuhara S. Dialysis physicians' referral behaviors for hemodialysis patients suspected of having cancer: A vignette-based