



肺高血圧先進医療学講座

メタデータ	言語: Japanese 出版者: 福島県立医科大学附属学術情報センター 公開日: 2021-06-17 キーワード: 作成者: メールアドレス: 所属:
URL	https://fmu.repo.nii.ac.jp/records/2001109

白河総合診療アカデミー

論 文

〔原 著〕

Takada T, Fukuma S, Yamamoto Y, Shimizu S, Nihata K, Miyashita J, Azuma T, Hayashi M, Fukuhara S. Determinants of incentive preferences for health behavior change in Japan. *Health Promotion International*. 201908; 34(4):760-769.

Kataoka Y, Ikegaki S, Kato D, Takada T, Tsujimoto Y, Sasaki S, Takahashi S. Scholarly Activity Support Systems in Internal Medicine Residency Programs: A National Representative Survey in Japan. *Internal Medicine*. 201907; 58(13):1859-1864.

Omae K, Yamamoto Y, Kurita N, Takeshima T, Naganuma T, Takahashi S, Ohnishi T, Ito F, Yoshioka T, Fukuhara S. Gait speed and overactive bladder in the healthy community-dwelling super elderly: The Sukagawa Study. *Neurourology and Urodynamics*. 201911; 38(8):2324-2332.

Miyashita J, Yamamoto Y, Shimizu S, Aoki T, Azuma T, Takada T, Hayashi M, Kimachi M, Ikenoue T, Fukuma S, Fukuhara S. Association between social networks and discussions regarding advance care planning among Japanese older adults. *PLOS ONE*. 201903; 14(3):e0213894.

Takayama A, Takeshima T, Nakashima Y, Yoshidomi T, Nagamine T, Kotani K. A comparison of single breathing cycle time measurement with 15 second quadruple. *Respiratory Care*. 201905; 64(5):555-563.

肺高血圧先進医療学講座

論 文

〔原 著〕

Yokokawa T, Ichimura S, Hijioka N, Kaneshiro T, Yoshihisa A, Kunii H, Nakazato K, Ishida T, Suzuki O, Ohno S, Aiba T, Ohtani H, Takeishi Y. Case reports of a c.475G>T, p.E159* lamin A/C mutation with a family history of conduction disorder, dilated cardiomyopathy and sudden cardiac death. *BMC Cardiovascular Disorders*. 2019; 19(1):298.

Yokokawa T, Yoshihisa A, Kanno Y, Abe S, Misaka T, Yamada S, Kaneshiro T, Sato T, Oikawa M, Kobayashi A, Nakazato K, Ishida T, Takeishi Y. Circulating acetoacetate is associated with poor prognosis in heart failure patients. *International Journal of Cardiology Heart & Vasculature*. 2019; 25:100432.

Yokokawa T, Sugimoto K, Nakazato K, Misaka T, Oikawa M, Kobayashi A, Yoshihisa A, Yamaki T, Kunii H, Ishida T, Takeishi Y. Electrocardiographic criteria of right ventricular hypertrophy in patients with chronic thromboembolic pulmonary hypertension after balloon pulmonary angioplasty. *Internal Medicine*. 2019; 58(15):2139-2144.

Uekita H, Ishibashi T, Shiomi M, Koyama H, Ohtsuka S, Yamamoto H, Yamagishi S, Inoue H, Itabe H, Sugimoto K, Kamioka M, Ohkawara H, Wada I, Takeishi Y. Integral role of receptor for advanced glycation end products (RAGE) in nondiabetic atherosclerosis. *Fukushima Journal of Medical Science*. 2019; 65(3):109-121.

Sato Y, Yoshihisa A, Kimishima Y, Kiko T, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Takeishi Y. Low T3 syndrome is associated with high mortality in hospitalized patients with heart failure. *Journal of Cardiac Failure*. 2019; 25(3):195-203.

Misaka T, Yoshihisa A, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Takeishi Y. Plasma levels of melatonin in dilated cardiomyopathy. *Journal of Pineal Research*. 2019; 66(4):e12564.

Yoshihisa A, Ichijo Y, Watanabe K, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y. Prior history and incidence of cancer impacts on cardiac prognosis in hospitalized patients with heart failure. *Circulation Journal*. 2019; 83(8):1709-1717.

Yoshihisa A, Misaka T, Kanno Y, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Prognostic impact of restless legs syndrome on patients with heart failure. *International Heart Journal*. 2019; 60(5):1098-1105.

Yokokawa T, Kunii H, Kaneshiro T, Ichimura S, Yoshihisa A, Yashiro-Furuya M, Asano T, Nakazato K, Ishida T, Migita K, Takeishi Y. Regressed coronary ostial stenosis in a young female with Takayasu arteritis: a case report. *BMC Cardiovascular Disorders*. 2019; 19(1):79.

Sugimoto K, Yokokawa T, Misaka T, Nakazato K, Ishida T, Takeishi Y. Senescence marker protein 30 deficiency exacerbates pulmonary hypertension in hypoxia-exposed mice. *International Heart Journal*. 2019; 60(6):1430-1434.

Yoshihisa A, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Takeishi Y. Soluble neprilysin does not correlate with prognosis in pulmonary hypertension. *ESC Heart Failure*. 2019; 6(2):291-296.

Nehashi T, Oikawa M, Amami K, Kanno Y, Yokokawa T, Misaka T, Yamada S, Kunii H, Nakazato K, Ishida T, Takeishi Y. Sporadic cardiac amyloidosis by amyloidogenic transthyretin V122I variant. *International Heart Journal*. 2019; 60(6):1441-1443.

Kiko T, Sato T, Yokokawa T, Misaka T, Takeishi Y. Subacute constrictive pericarditis postcardiac surgery

evaluated by ¹⁸F-fluorodeoxyglucose positron emission tomography/magnetic resonance imaging. *Circulation: Cardiovascular Imaging*. 2019; 12(11):e009764.

Yokokawa T, Sugimoto K, Yoshihisa A, Goto T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. The fibrosis-4 index is useful for predicting mortality in patients with pulmonary hypertension due to left heart disease. *International Heart Journal*. 2019; 60(5):1147-1153.

Kimishima Y, Yoshihisa A, Kiko T, Yokokawa T, Miyata-Tatsumi M, Misaka T, Oikawa M, Kobayashi A, Takeishi Y. Utility of B-type natriuretic peptide for detecting cardiac involvement in immunoglobulin amyloidosis. *International Heart Journal*. 2019; 60(5):1106-1112.

研究発表等

〔研究発表〕

Yokokawa T, Yoshihisa A, Takeishi Y. Breath and skin acetone in cardiovascular diseases. 2019 XXIII ISHR World Congress; 20190603-06; Beijing, China.

Kimishima Y, Misaka T, Yokokawa T, Minakawa K, Sugimoto K, Ishida T, Ikeda K, Takeishi Y. JAK2 V617F mutation promotes hypoxia-induced pulmonary hypertension in mice. 2019 XXIII ISHR World Congress; 20190603-06; Beijing, China.

Yokokawa T, Yoshihisa A, Ichijo Y, Watanabe K, Kanno Y, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Nakazato K, Ishida T, Takeishi Y. Acetoacetate is associated with poor prognosis in heart failure patients. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10079.

Sato Y, Yoshihisa A, Hotsuki Y, Watanabe K, Kimishima Y, Kiko T, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in heart failure patients with mid-range ejection fraction. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10199.

Sato Y, Yoshihisa A, Hotsuki Y, Watanabe K, Kimishima Y, Kiko T, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Benzodiazepine is associated with adverse prognosis in heart failure patients with insomnia. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10198.

Abe S, Yoshihisa A, Ichijo Y, Kimishima Y, Kanno Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Clinical implications of hepatic hemodynamic evaluation by ultrasonography in patients with heart failure. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10769.

Misaka T, Yoshihisa A, Ichijo Y, Kimishima Y, Kanno Y, Yokokawa T, Abe S, Sato T, Oikawa M, Kobayashi

A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Clinical implications of intrarenal hemodynamic evaluation by ultrasonography in patients with heart failure. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10799.

Misaka T, Yoshihisa A, Niimura Y, Kimishima Y, Kanno Y, Yokokawa T, Sato T, Kobayashi A, Takeishi Y. Clinical utility of pulse-transit-time for continuous blood pressure monitoring in patient with sleep disordered breathing. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10106.

Kanno Y, Yoshihisa A, Ichijo Y, Kiko T, Kimishima Y, Sato Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Comparisons of clinical features and prognosis of heart failure patients with reduced ejection fraction between Japanese women and men. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A12789.

Kimishima Y, Misaka T, Yokokawa T, Sugimoto K, Minakawa K, Ishida T, Ikeda K, Takeishi Y. Janus activating kinase 2 V617F mutation promotes hypoxia induced pulmonary hypertension in mice. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10084.

Sato Y, Yoshihisa A, Hotsuki Y, Watanabe K, Kimishima Y, Kiko T, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Prognostic factors in heart failure patients with cardiac cachexia. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10197.

Yokokawa T, Yoshihisa A, Ando T, Kiko T, Shimizu T, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Residual ginsin score is associated with long term cardiac mortality in patients with ischemic heart failure. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10075.

Abe S, Yoshihisa A, Kimishima Y, Sato Y, Kanno Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. TRACP5b is associated with high mortality in hospitalized patients with heart failure. Scientific Sessions of American Heart Association 2019; 20191116-18; Philadelphia, USA. *Circulation*. 140(Suppl 1):A10789.

Minakawa K, Ueda K, Nakajima O, Yokokawa T, Kimishima Y, Misaka T, Ogawa K, Ikezoe T, Takeishi Y, Ikeda K. Knock-ins of type-2 calr mutants cause myeloproliferative neoplasm (MPN)-like hematopoiesis in mice. 61st ASH Annual Meeting and Exposition; 20191207-10; Orlando, Florida, USA. *Blood*. 134(Suppl 1):2964.

Yokokawa T, Misaka T, Kimishima Y, Yoshihisa A, Ishida T, Takeishi Y. Clinical significance of circulating cardiomyocyte-specific cell-free DNA in patients with heart failure. Cardiovascular and Metabolic Week 2019: International Society for Heart Research (ISHR), The 36th Annual Meeting of the Japanese Section; 20191214-15; Kobe.

Kimishima Y, Misaka T, Yokokawa T, Sugimoto K, Minakawa K, Ishida T, Ikeda K, Takeishi Y. JAK2 V617F mutation promotes hypoxia-induced pulmonary hypertension in mice. Cardiovascular and Metabolic Week 2019: International Society for Heart Research (ISHR), The 36th Annual Meeting of the Japanese Section; 20191214-15; Kobe.

横川哲朗, 義久精臣, 一條靖洋, 喜古崇豊, 君島勇輔, 佐藤 悠, 菅野優紀, 滝口 舞, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Associations of soluble neprilysin with cardiac function and outcome in patients with hypertrophic cardiomyopathy. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

Kimishima Y, Yoshihisa A, Ichijo Y, Sato Y, Kiko T, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y. Change in left ventricular ejection fraction and its impact on prognosis in heart failure patients with mid-range ejection fraction. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

一條靖洋, 義久精臣, 喜古崇豊, 君島勇輔, 佐藤 悠, 菅野優紀, 滝口 舞, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Characteristics and outcomes of heart failure patients with mid-range left ventricular ejection fraction. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

Kimishima Y, Yoshihisa A, Ichijo Y, Kiko T, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y. Characteristics and outcomes of recovered left ventricular ejection fraction in heart failure patients with reduced ejection fraction. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

及川雅啓, 義久精臣, 一條靖洋, 喜古崇豊, 君島勇輔, 佐藤 悠, 菅野優紀, 滝口 舞, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Characteristics and outcomes of worsening left ventricular ejection fraction in heart failure patients with preserved ejection fraction. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

Sugimoto K, Yokokawa T, Misaka T, Nakazato K, Ishida T, Takeishi Y. Endothelin-1 upregulates activin receptor-like kinase-1 (ALK-1) expression through Gi-RhoA dependent pathway in human pulmonary arterial endothelial cells. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

Kanno Y, Yoshihisa A, Ichijo Y, Kiko T, Kimishima Y, Sato Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y. Impact of gastro-intestinal bleeding on the later prognosis in patients with heart failure. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

佐藤 悠, 義久精臣, 君島勇輔, 喜古崇豊, 菅野優紀, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 竹石恭知. Low T3 syndrome is associated with high mortality and impaired exercise capacity in hospitalized patients with heart failure. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

Misaka T, Yoshihisa A, Ichijo Y, Kiko T, Kimishima Y, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Plasma levels of melatonin in dilated and hypertrophic cardiomyopathies. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

一條靖洋, 義久精臣, 喜古崇豊, 君島勇輔, 佐藤 悠, 菅野優紀, 滝口 舞, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Prior history and incidence of cancer impacts on cardiac prognosis in hospitalized patients with heart failure. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

菅野優紀, 義久精臣, 一條靖洋, 喜古崇豊, 君島勇輔, 佐藤 悠, 滝口 舞, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 石田隆史, 竹石恭知. Prognostic impact of periodic leg movements during sleep on patients with heart failure. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

三阪智史, 義久精臣, 一條靖洋, 喜古崇豊, 君島勇輔, 佐藤 悠, 菅野優紀, 滝口 舞, 横川哲朗, 阿部諭史, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Prognostic impact of restless legs syndrome on patients with heart failure. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

Oikawa M, Yokokawa T, Misaka T, Kobayashi A, Yoshihisa A, Kunii H, Nakazato K, Ishida T, Takeishi Y. Red cell distribution width is a predictor of cardiac troponin I elevation after anthracycline treatment. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

Sugimoto K, Yoshihisa A, Nakazato K, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y. Relationship between treatment effect of riociguat and methemoglobin in patients with pulmonary hypertension. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

新村裕子, 義久精臣, 横川哲朗, 三阪智史, 松田美津子, 山寺幸雄, 志村浩己, 竹石恭知. 睡眠時無呼吸症候群患者における pulse-transit-time 血圧測定の有用性に関する検討. 第 83 回日本循環器学会学術集会; 20190329-31; 横浜.

中里和彦, 天海一明, 喜古崇豊, 菅野優紀, 山田慎哉, 及川雅啓, 杉本浩一, 竹石恭知. 治療に難渋している combined post- and pre-capillary PH の一例. 第 4 回日本肺高血圧・肺循環学会学術集会; 20190621-22; 浜松.

三阪智史, 義久精臣, 横川哲朗, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 杉本浩一, 國井浩行, 中里和彦, 竹石恭知. Plasma levels of melatonin in dilated cardiomyopathy. 日本睡眠学会第 44 回定期学術集会; 20190627-28; 名古屋.

新村裕子, 義久精臣, 横川哲朗, 三阪智史, 松田美津子, 山寺幸雄, 志村浩己, 竹石恭知. 睡眠時無呼吸症候群患者における pulse-transit-time 血圧測定の有用性に関する検討. 日本睡眠学会第 44 回定期学術集会; 20190627-28; 名古屋.

Kimishima Y, Misaka T, Yokokawa T, Sugimoto K, Minakawa K, Ishida T, Ikeda K, Takeishi Y. JAK2 V617F mutation promotes hypoxia-induced pulmonary hypertension in mice. 第 3 回日本循環器学会基礎研究フォーラム

△(The 3rd JCS Council Forum on Basic CardioVascular Research); 20190906-08; 東京.

Yokokawa T, Misaka T, Kimishima Y, Ishida T, Takeishi Y. Significance of circulating cell-free DNA in patients with heart failure. 第3回日本循環器学会基礎研究フォーラム(The 3rd JCS Council Forum on Basic CardioVascular Research); 20190906-08; 東京.

及川雅啓, 横川哲朗, 三阪智史, 小林 淳, 義久精臣, 中里和彦, 石田隆史, 竹石恭知. 赤血球容積粒度分布幅によるアントラサイクリン化学療法誘発性トロポニンI値上昇の予測. 第67回日本心臓病学会学術集会; 20190913-15; 名古屋.

中村裕一, 根橋 健, 大原妃美佳, 横川沙代子, 三浦俊輔, 横川哲朗, 竹石恭知. 急性心筋梗塞患者における Geriatric Nutritional Risk Index の検討. 第28回日本心血管インターベンション治療学会学術集会(CVIT2019); 20190919-21; 名古屋.

及川雅啓, 横川哲朗, 三阪智史, 佐藤崇匡, 小林 淳, 義久精臣, 中里和彦, 石田隆史, 竹石恭知. 赤血球容積粒度分布幅によるアントラサイクリン化学療法誘発性心筋障害の予測. 第2回日本腫瘍循環器学会学術集会; 20190921-22; 旭川.

Misaka T, Yoshihisa A, Ichijo Y, Kiko T, Kimishima Y, Yokokawa T, Abe S, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Clinical impact of circulating melatonin in dilated cardiomyopathy. 第23回日本心不全学会学術集会; 20191004-06; 広島.

Misaka T, Yoshihisa A, Ichijo Y, Kiko T, Kimishima Y, Yokokawa T, Abe S, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Clinical significance of restless legs syndrome in heart failure patients. 第23回日本心不全学会学術集会; 20191004-06; 広島.

Kanno Y, Yoshihisa A, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Ishida T, Takeishi Y. Comparisons of prognosis with periodic leg movements during sleep in heart failure patients. 第23回日本心不全学会学術集会; 20191004-06; 広島.

Kimishima Y, Misaka T, Yokokawa T, Sugimoto K, Minakawa K, Ishida T, Ikeda K, Takeishi Y. JAK2 V617F mutation promotes hypoxia-induced pulmonary hypertension in mice. 第23回日本心不全学会学術集会; 20191004-06; 広島.

Yoshihisa A, Kimishima Y, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y. Prior history and incidence of cancer impacts on cardiac prognosis in patients with heart failure. 第23回日本心不全学会学術集会; 20191004-06; 広島.

Oikawa M, Yokokawa T, Misaka T, Sato T, Kobayashi A, Yoshihisa A, Nakazato K, Ishida T, Takeishi Y. Red blood cell distribution width is a predictor of cardiac troponin I elevation after anthracycline treatment. 第23回日本心不全学会学術集会; 20191004-06; 広島.

Yokokawa T, Yoshihisa A, Sato Y, Kanno Y, Abe S, Misaka T, Sato T, Oikawa M, Nakazato K, Ishida T, Takeishi Y. Soluble neprilysin is not associated with mortality in patients with pulmonary hypertension. 第23

回日本心不全学会学術集会; 20191004-06; 広島.

千葉直貴, 中村裕一, 片平正隆, 根橋 健, 横川沙代子, 三浦俊輔, 横川哲朗, 山口佳子, 鈴木 聡. トランスサイレチン型心アミロイドーシスの一例. 第168回日本循環器学会東北地方会; 20190601; 盛岡.

八重樫大輝, 神雄一郎, 石田隆史, 渡邊俊介, 横川哲朗, 肱岡奈保子, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 竹石恭知. 心臓カテーテル検査による放射線被ばくのDNA損傷とサイトカイン発現に及ぼす影響—患者と術者における検討. 第168回日本循環器学会東北地方会; 20190601; 盛岡.

三阪智史, 義久精臣, 新村裕子, 横川哲朗, 竹石恭知. 睡眠時無呼吸症候群患者における pulse-transit-time 血圧測定の有用性. 第3回PTT血圧・SAS研究会; 20190615; 東京.

横川哲朗, 市村祥平, 金城貴士, 義久精臣, 國井浩行, 中里和彦, 石田隆史, 鈴木 理, 大野聖子, 相庭武司, 大谷 弘, 竹石恭知. Cases of a c.475G>T, p.E159* lamin A/C mutation with dilated cardiomyopathy and sudden cardiac death. 第5回日本心筋症研究会; 20190713; 札幌.

三阪智史, 義久精臣, 佐藤 悠, 喜古崇豊, 君島勇輔, 菅野優紀, 横川哲朗, 阿部諭史, 佐藤崇匡, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Urinary N-terminal fragment of titin predicts mortality in patients with dilated cardiomyopathy. 第5回日本心筋症研究会; 20190713; 札幌.

横川哲朗, 義久精臣, 三阪智史, 及川雅啓, 小林 淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. 肥大型心筋症における血中ネプリライシン濃度の検討. 第6回iHFフォーラム; 20190803-04; 東京.

横川哲朗, 義久精臣, 三阪智史, 石田隆史, 竹石恭知. 超高齢心不全患者の特徴. 脳心血管抗加齢研究会 2019; 20191220-21; 東京. *Anti-aging Science*. 11(1):62.

坂本和哉, 及川雅啓, 佐久間真悠, 杉本浩一, 中里和彦, 竹石恭知. 周産期の心拍数コントロールに難渋した Senning 術後の一症例. 日本成人先天性心疾患学会第21回成人先天性心疾患セミナー; 20191109; 仙台.

肱岡奈保子, 石田隆史, 神雄一郎, 横川哲朗, 及川雅啓, 竹石恭知, 菊田 敦, 佐野秀樹. 小児がん経験者の心血管機能および動脈硬化リスク. 第1回福島 Onco-Cardiology 研究会; 20190315; 福島.

君島勇輔, 三阪智史, 横川哲朗, 杉本浩一, 皆川敬治, 石田隆史, 池田和彦, 竹石恭知. JAK2 V617F mutation promotes hypoxia-induced pulmonary hypertension in mice. 第476回福島医学会学術研究会; 20190523; 福島.