



肺高血圧先進医療学講座

メタデータ	言語: Japanese 出版者: 福島県立医科大学附属学術情報センター 公開日: 2022-06-22 キーワード (Ja): キーワード (En): 作成者: メールアドレス: 所属:
URL	https://fmu.repo.nii.ac.jp/records/2001271

角田拓也, 武藤憲哉, 矢野徹宏, 反町光太郎, 鈴木剛, 全田吏栄, 塚田泰彦, 小野寺誠, 伊関憲. 心停止に至り救命した多数胸部刺傷の一例. 第 48 回日本救急医学会総会・学術集会; 20201118; 岐阜. ミニプログラム, 158.

反町光太郎, 畑下智, 小野寺誠, 伊藤雅之, 伊関憲. 骨盤骨折患者における転院搬送の現状. 第 34 回日本外傷学会・学術集会; 20201208; Web. 日本外傷学会雑誌. 34(5):257.

肺高血圧先進医療学講座

論 文

〔原 著〕

Sato Y, Yoshihisa A, Watanabe K, Hotsuki Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Takeishi Y. Association between platelet distribution width and prognosis in patients with heart failure. PLOS ONE. 2020; 15(12):e0244608.

Sato Y, Yoshihisa A, Hotsuki Y, Watanabe K, Kimishima Y, Kiko T, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Associations of benzodiazepine with adverse prognosis in heart failure patients with insomnia. Journal of the American Heart Association. 2020; 9(7):e013982.

Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in patients with heart failure with mid-range ejection fraction. European Journal of Preventive Cardiology. 2020; 27(19):2322-2325.

Yamada S, Yoshihisa A, Hijioka N, Kamioka M, Kaneshiro T, Yokokawa T, Misaka T, Ishida T, Takeishi Y. Autonomic dysfunction in cardiac amyloidosis assessed by heart rate variability and heart rate turbulence. Annals of Noninvasive Electrophysiology. 2020; 25(4):e12749.

Hotsuki Y, Sato Y, Yoshihisa A, Watanabe K, Kimishima Y, Kiko T, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Takeishi Y. B-type natriuretic peptide is associated with post-discharge stroke in hospitalized patients with heart failure. ESC Heart Failure. 2020; 7(5):2508-2515.

Oikawa M, Yoshihisa A, Yokokawa T, Misaka T, Yaegashi D, Miyata M, Nakazato K, Ishida T, Takeishi Y. Cardiac troponin I predicts elevated B-type natriuretic peptide in patients treated with anthracycline-containing chemotherapy. Oncology. 2020; 98(9):653-660.

Kaneshiro T, Kamioka M, Hijioka N, Yamada S, Yokokawa T, Misaka T, Hikichi T, Yoshihisa A, Takeishi Y. Characteristics of esophageal injury in ablation of atrial fibrillation using a high-power short-duration setting. *Circulation: Arrhythmia and Electrophysiology*. 2020; 13(10):e008602.

Misaka T, Niimura Y, Yoshihisa A, Wada K, Kimishima Y, Yokokawa T, Abe S, Oikawa M, Kaneshiro T, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Clinical impact of sleep-disordered breathing on very short-term blood pressure variability determined by pulse transit time. *Journal of Hypertension*. 2020; 38(9):1703-1711.

Yoshihisa A, Ishibashi S, Matsuda M, Yamadera Y, Ichijo Y, Sato Y, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Clinical implications of hepatic hemodynamic evaluation by abdominal ultrasonographic imaging in patients with heart failure. *Journal of the American Heart Association*. 2020; 9(15):e016689.

Yokokawa T, Misaka T, Kimishima Y, Shimizu T, Kaneshiro T, Takeishi Y. Clinical significance of circulating cardiomyocyte-specific cell-free DNA in patients with heart failure: A Proof-of-Concept Study. *Canadian Journal of Cardiology*. 2020; 36(6):931-935.

Yoshihisa A, Ichijo Y, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Comprehensive clinical characteristics of hospitalized patients with mid-range left ventricular ejection fraction. *European Journal of Preventive Cardiology*. 2020; 27(19):2084-2088.

Kiko T, Yoshihisa A, Yokokawa T, Misaka T, Yamada S, Kaneshiro T, Nakazato K, Takeishi Y. Direct comparisons of left ventricular volume and function by simultaneous cardiac magnetic resonance imaging and gated ¹³N-ammonia positron emission tomography. *Nuclear Medicine Communications*. 2020; 41(4):383-388.

Hotsuki Y, Sato Y, Yoshihisa A, Watanabe K, Kimishima Y, Kiko T, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Takeishi Y. Glasgow-blatchford score predicts post-discharge gastrointestinal bleeding in hospitalized patients with heart failure. *Journal of Clinical Medicine*. 2020; 9(12):4083.

Yoshihisa A, Kanno Y, Ichijo Y, Sato Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Incidence and subsequent prognostic impacts of gastrointestinal bleeding in patients with heart failure. *European Journal of Preventive Cardiology*. 2020; 27(6):664-666.

Yoshihisa A, Watanabe K, Sato Y, Ishibashi S, Matsuda M, Yamadera Y, Ichijo Y, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Takeishi Y. Intrarenal Doppler ultrasonography reflects hemodynamics and predicts prognosis in patients with heart failure. *Scientific Reports*. 2020; 10(1):22257.

Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Prognostic factors in heart failure patients with cardiac cachexia. *Journal of Geriatric Cardiology*. 2020; 17(1):26-34.

Yoshihisa A, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A,

Yamaki T, Kunii H, Takeishi Y. Prognostic impacts of changes in left ventricular ejection fraction in heart failure patients with preserved left ventricular ejection fraction. *Open Heart*. 2020; 7(1):e001112.

Yokokawa T, Sugimoto K, Kimishima Y, Misaka T, Yoshihisa A, Morisaki H, Yamada O, Nakazato K, Ishida T, Takeishi Y. Pulmonary hypertension and hereditary hemorrhagic telangiectasia related to an ACVRL1 mutation. *Internal Medicine*. 2020; 59(2):221-227.

Abe S, Yoshihisa A, Ichijo Y, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Recovered left ventricular ejection fraction and its prognostic impacts in hospitalized heart failure patients with reduced ejection fraction. *International Heart Journal*. 2020; 61(2):281-288.

Yaegashi D, Oikawa M, Yokokawa T, Misaka T, Kobayashi A, Kaneshiro T, Yoshihisa A, Nakazato K, Ishida T, Takeishi Y. Red blood cell distribution width is a predictive factor of anthracycline-induced cardiotoxicity. *Frontiers in Cardiovascular Medicine*. 2020; 7:594685.

Yokokawa T, Yoshihisa A, Kiko T, Shimizu T, Misaka T, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Residual gensini score is associated with long-term cardiac mortality in patients with heart failure after percutaneous coronary intervention. *Circulation Reports*. 2020; 2(2):89-94.

Ohara H, Yoshihisa A, Ishibashi S, Matsuda M, Yamadera Y, Sugawara Y, Ichijo Y, Hotsuki Y, Watanabe K, Anzai F, Sato Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y. Shear wave dispersion predicts liver fibrosis and adverse outcomes in patients with heart failure. *Journal of Clinical Medicine*. 2020; 9(12):3953.

Sugimoto K, Yoshihisa A, Nakazato K, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y. Significance of pulmonary vascular resistance and diastolic pressure gradient on the new definition of combined post-capillary pulmonary hypertension. *International Heart Journal*. 2020; 61(2):301-307.

Yoshihisa A, Sato Y, Kimishima Y, Ichijo Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Nakazato K, Takeishi Y. Soluble fibrin monomer complex is associated with cardio- and cerebrovascular events in patients with heart failure. *International Journal of Cardiology Heart & Vasculture*. 2020; 32:100697.

Takeishi Y, Kiko T, Yokokawa T, Kunii H, Ichimura S, Takizawa S, Masuda A, Kaneshiro T, Ando T, Takenoshita S. Takayasu arteritis detected by PET/MRI with ¹⁸F-fluorodeoxyglucose. *Journal of Nuclear Cardiology*. 2020; 27(1):333-335.

Kamioka M, Yoshihisa A, Nodera M, Misaka T, Yokokawa T, Kaneshiro T, Nakazato K, Ishida T, Takeishi Y. The clinical implication of new-onset in-hospital atrial fibrillation in patients with acute decompensated heart failure. *Journal of Arrhythmia*. 2020; 36(5):874-882.

研究発表等

〔研究発表〕

Sugimoto K, Nakazato K, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Yoshihisa A, Ishida T, Takeishi Y. Relationship between effects of riociguat and levels of methemoglobin in patients with chronic thromboembolic pulmonary hypertension. ESC Congress 2020; 20200829-0901; Web. European Heart Journal. 41(Suppl2):2295.

Yokokawa T, Misaka T, Kimishima Y, Wada K, Minakawa K, Sugimoto K, Ishida T, Ikeda K, Takeishi Y. Hematopoietic JAK2V617F mutation exacerbates aortic aneurysm development. The 64th Annual Scientific Meeting of The Korean Society of Cardiology; 20201016-18; Web.

Misaka T, Yokokawa T, Kimishima Y, Shimizu T, Kaneshiro T, Takeishi Y. An increase in circulating cardiomyocyte-specific cell-free DNA in heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13079.

Hotsuki Y, Yoshihisa A, Sato Y, Ichijo Y, Watanabe K, Kimishima Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y. Cardio-ankle vascular index predicts new onset stroke in patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13303.

Watanabe K, Yoshihisa A, Sato Y, Hotsuki Y, Ichijo Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y. Cardio-ankle vascular index reflects impaired exercise capacity and predicts adverse prognosis in patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13334.

Hotsuki Y, Yoshihisa A, Ichijo Y, Watanabe K, Sato Y, Kimishima Y, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Takeishi Y. Clinical implications of hepatic hemodynamic evaluation by abdominal ultrasonographic imaging in patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13301.

Wada K, Misaka T, Yokokawa T, Kimishima Y, Minakawa K, Kaneshiro T, Yoshihisa A, Ikeda K, Takeishi Y. Clinical significance of clonal hematopoiesis with JAK2V617F in patients with cardiovascular diseases. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13080.

Kimishima Y, Misaka T, Yokokawa T, Wada K, Ueda K, Sugimoto K, Minakawa K, Nakazato K, Ishida T, Oshima M, Koide S, Shide K, Shimoda K, Iwama A, Ikeda K, Takeishi Y. Clonal hematopoiesis with JAK2V617F promotes pulmonary hypertension through ALK1. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A12873.

Yokokawa T, Misaka T, Kimishima Y, Wada K, Minakawa K, Sugimoto K, Ishida T, Ikeda K, Takeishi Y. Crucial role of Jak2V617F-positive myeloproliferative neoplasm in the development of aortic aneurysm. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A12726.

Oikawa M, Yaegashi D, Yokokawa T, Misaka T, Sato T, Kobayashi A, Yoshihisa A, Nakazato K, Ishida T, Takeishi Y. D-dimmer is a predictor of cancer therapeutics-related cardiac dysfunction in patients treated with cardiotoxic chemotherapy. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13441.

Sugimoto K, Yokokawa T, Misaka T, Yokokawa S, Nakazato K, Ishida T, Takeishi Y. Endothelin-1 increases ACVRL-1 expression at the transcriptional and post-transcriptional levels in human pulmonary arterial endothelial cells via Gi, RhoA and Rho kinase pathway with involvement of Sp-1. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13010.

Sugimoto K, Yokokawa T, Misaka T, Yokokawa S, Nakazato K, Ishida T, Takeishi Y. High fat diet delays reverse remodeling of pulmonary artery in hypoxia-induced pulmonary hypertension mice. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A12990.

Watanabe K, Yoshihisa A, Sato Y, Hotsuki Y, Ichijo Y, Kimishima Y, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Takeishi Y. Intrarenal doppler ultrasonography reflects hemodynamics and predicts prognosis in patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13330.

Hotsuki Y, Yoshihisa A, Watanabe K, Sato Y, Kimishima Y, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Takeishi Y. Liver dispersion predicts adverse outcomes in patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13304.

Watanabe K, Sato Y, Yoshihisa A, Ichijo Y, Hotsuki Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y. Platelet distribution width is associated with adverse prognosis in patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13332.

Misaka T, Ichijo Y, Yoshihisa A, Hotsuki Y, Watanabe K, Sato Y, Kimishima Y, Yokokawa T, Oikawa M, Kobayashi A, Takeishi Y. Serum hepatokine selenoprotein P is upregulated by hepatic hypoperfusion and predicts adverse prognosis in heart failure patients. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13678.

Kimishima Y, Yoshihisa A, Ichijo Y, Watanabe K, Hotsuki Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y. Soluble fibrin monomer complex is associated with cardio- and cerebro-vascular events in patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13309.

Kimishima Y, Yoshihisa A, Abe S, Ichijo Y, Watanabe K, Hotsuki Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y. TRACP5b, a marker of osteoporosis, is associated with adverse cardiac events in hospitalized patients with heart failure. American Heart Association Scientific Session 2020; 20201113-17; Web. Circulation. 142(Suppl3):A13324.

佐藤悠, 義久精臣, 寶槻優, 渡邊孝一郎, 君島勇輔, 喜古崇豊, 菅野優紀, 横川哲朗, 阿部諭史, 三阪智史,

佐藤崇匡, 及川雅啓, 小林淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Associations of benzodiazepine with adverse prognosis in heart failure patients with insomnia. 第 84 回日本循環器学会学術集会 ; 20200727-0802; Web.

Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in heart failure patients with mid-range ejection fraction. 第 84 回日本循環器学会学術集会 ; 20200727-0802; Web.

寶槻優, 義久精臣, 渡邊孝一郎, 佐藤悠, 君島勇輔, 喜古崇豊, 菅野優紀, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. B-type natriuretic peptide is associated with post-discharge stroke in patients with heart failure. 第 84 回日本循環器学会学術集会 ; 20200727-0802; Web.

Oikawa M, Yokokawa T, Misaka T, Yoshihisa A, Yaegashi D, Tatsumi M, Nakazato K, Ishida T, Takeishi Y. Cardiac troponin I increase is a predictive factor of anthracycline-induced cardiotoxicity. 第 84 回日本循環器学会学術集会 ; 20200727-0802; Web.

横川哲朗, 三阪智史, 君島勇輔, 義久精臣, 石田隆史, 竹石恭知. Cardiomyocyte-specific cell-free DNA analysis using methylation profile and digital polymerase chain reaction in patients with heart failure. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

Yokokawa T, Yoshihisa A, Kanno Y, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y. Circulating acetoacetate is associated with poor prognosis in heart failure patients. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

寶槻優, 義久精臣, 渡邊孝一郎, 佐藤悠, 君島勇輔, 喜古崇豊, 菅野優紀, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Clinical implications of hepatic hemodynamic evaluation by ultrasonography in patients with heart failure. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

渡邊孝一郎, 義久精臣, 寶槻優, 佐藤悠, 君島勇輔, 喜古崇豊, 菅野優紀, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Clinical implications of intrarenal hemodynamic evaluation by ultrasonography in patients with heart failure. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

三阪智史, 義久精臣, 新村裕子, 君島勇輔, 菅野優紀, 横川哲朗, 佐藤崇匡, 及川雅啓, 小林淳, 竹石恭知. Clinical utility of pulse-transit-time to monitor beat-to-beat blood pressure in the patients with sleep disordered breathing. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

杉本浩一, 横川哲朗, 三阪智史, 中里和彦, 石田隆史, 竹石恭知. High-fat diet delays pulmonary artery reverse remodeling in mice with hypoxia-induced pulmonary hypertension. 第 84 回日本循環器学会学術集会 ; 20200727-0802; Web.

Kimishima Y, Misaka T, Yokokawa T, Sugimoto K, Ishida T, Takeishi Y. JAK2 V617F mutation promotes hypoxia-induced pulmonary hypertension in mice. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

Oikawa M, Yoshihisa A, Yokokawa T, Misaka T, Yaegashi D, Nakazato K, Ishida T, Takeishi Y. Red blood cell distribution width is a predictive factor of anthracycline-induced cardiotoxicity. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

阿部諭史, 義久精臣, 君島勇輔, 佐藤悠, 菅野優紀, 横川哲朗, 三阪智史, 佐藤崇匡, 及川雅啓, 小林淳, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. TRACP5b is associated with high mortality in hospitalized patients with heart failure. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

及川雅啓, 八重樫大輝, 横川哲朗, 三阪智史, 義久精臣, 中里和彦, 石田隆史, 竹石恭知. アントラサイクリン心筋症発症予測に対するトロポニン I の有用性. 第 3 回日本腫瘍循環器学会学術集会; 20200911-0912; Web.

八重樫大輝, 及川雅啓, 横川哲朗, 三阪智史, 小林淳, 義久精臣, 中里和彦, 石田隆史, 竹石恭知. 赤血球容積粒度分布幅 (RDW) によるがん治療関連心筋障害の予測. 第 3 回日本腫瘍循環器学会学術集会; 20200911-0912; Web.

Wada K, Misaka T, Yokokawa T, Kimishima Y, Minakawa K, Kaneshiro T, Yoshihisa A, Ikeda K, Takeishi Y. Clinical significance of clonal hematopoiesis with JAK2V617F in patients with cardiovascular disease. 第 4 回日本循環器学会基礎研究フォーラム (The 4th JCS Council Forum on Basic CardioVascular Research); 20200926-0927; Web.

Kimishima Y, Misaka T, Yokokawa T, Wada K, Sugimoto K, Minakawa K, Nakazato K, Ishida T, Ikeda K, Takeishi Y. Clonal hematopoiesis with JAK2V617F promotes pulmonary hypertension through ALK1. 第 4 回日本循環器学会基礎研究フォーラム (The 4th JCS Council Forum on Basic CardioVascular Research); 20200926-0927; Web.

Yokokawa T, Misaka T, Kimishima Y, Wada K, Minagawa K, Sugimoto K, Ishida T, Ikeda K, Takeishi Y. Crucial role of hematopoietic JAK2V617F mutation in the development of aortic aneurysms. 第 4 回日本循環器学会基礎研究フォーラム (The 4th JCS Council Forum on Basic CardioVascular Research); 20200926-0927; Web.

君島勇輔, 三阪智史, 横川哲朗, 和田健斗, 杉本浩一, 皆川敬治, 中里和彦, 池田和彦, 竹石恭知. JAK2V617F クローン性造血は ALK1 を介して肺高血圧症を増悪させる. 第 5 回日本肺高血圧・肺循環学会学術集会; 20200926-0927; Web.

寶槻優, 義久精臣, 渡邊孝一郎, 佐藤悠, 君島勇輔, 喜古崇豊, 菅野優紀, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林淳, 竹石恭知. B-type natriuretic peptide is associated with post-discharge stroke in patients with heart failure. 第 24 回日本心不全学会学術集会; 20201015-1017; Web.

寶槻優, 義久精臣, 渡邊孝一郎, 佐藤悠, 君島勇輔, 喜古崇豊, 菅野優紀, 横川哲朗, 阿部諭史, 三阪智史, 佐藤崇匡, 及川雅啓, 小林淳, 竹石恭知. Clinical implications of hepatic hemodynamic evaluation by ultrasonography in patients with heart failure. 第 24 回日本心不全学会学術集会; 20201015-1017; Web.

君島勇輔, 三阪智史, 横川哲朗, 和田健斗, 植田航希, 杉本浩一, 皆川敬治, 中里和彦, 石田隆史, 池田和彦, 竹石恭知. Clonal hematopoiesis with JAK2V617F promotes pulmonary hypertension through ALK1. 第24回日本心不全学会学術集会; 20201015-1017; Web.

三阪智史, 横川哲朗, 君島勇輔, 清水竹史, 金城貴士, 義久精臣, 竹石恭知. Increases in circulating cardiomyocyte-specific cell-free DNA in heart failure. 第24回日本心不全学会学術集会; 20201015-1017; Web.

渡邊孝一郎, 佐藤悠, 義久精臣, 一條靖洋, 寶槻優, 横川哲朗, 三阪智史, 及川雅啓, 小林淳, 竹石恭知. Intrarenal doppler ultrasonography reflects hemodynamics and predicts prognosis in patients with heart failure. 第24回日本心不全学会学術集会; 20201015-1017; Web.

八重樫大輝, 及川雅啓, 横川哲朗, 三阪智史, 小林淳, 義久精臣, 中里和彦, 石田隆史, 竹石恭知. Red blood cell distribution width is a predictive factor of anthracycline-induced cancer therapeutics-related cardiac dysfunction. 第24回日本心不全学会学術集会; 20201015-1017; Web.

君島勇輔, 義久精臣, 横川哲朗, 喜古崇豊, 清水竹史, 三阪智史, 八巻尚洋, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. Residual Gensini score is associated with long-term cardiac mortality in patients with heart failure after percutaneous coronary intervention. 第24回日本心不全学会学術集会; 20201015-1017; Web.

及川雅啓, 八重樫大輝, 横川哲朗, 三阪智史, 小林淳, 義久精臣, 中里和彦, 石田隆史, 竹石恭知. Troponin I was not useful to predict cancer therapeutics-related cardiac dysfunction in patients with non-anthracycline chemotherapy. 第24回日本心不全学会学術集会; 20201015-1017; Web.

喜古崇豊, 横川哲朗, 三阪智史, 八巻尚洋, 國井浩行, 中里和彦, 竹石恭知. Hybrid FDG PET/MRI を用いた慢性完全閉塞病変に対する心筋 viability 評価. 第30回日本心臓核医学会学術大会; 20201218-19; Web. 心臓核医学. 22(2):66.

喜古崇豊, 横川哲朗, 三阪智史, 及川雅啓, 小林淳, 義久精臣, 竹石恭知. 心臓サルコイドーシス患者における ^{18}F -FDG PET/MRI 所見と予後に関する検討. 第30回日本心臓核医学会学術大会; 20201218-19; Web. 心臓核医学. 22(2):66.

赤間浄, 横川哲朗, 三阪智史, 和田健斗, 君島勇輔, 義久精臣, 中里和彦, 石田隆史, 池田和彦, 竹石恭知. JAK2V617F 変異クローン性造血の循環器疾患における意義. 第170回日本循環器学会東北地方会; 20200823; Web.

横川哲朗, 義久精臣, 三阪智史, 佐藤崇匡, 及川雅啓, 小林淳, 八巻尚洋, 竹石恭知. Prognostic impacts of anti-mitochondrial antibodies in patients with dilated cardiomyopathy. 第6回日本心筋症研究会; 20200821-0914; Web.

及川雅啓, 八重樫大輝, 横川哲朗, 三阪智史, 義久精臣, 中里和彦, 石田隆史, 竹石恭知. アントラサイクリン心筋症発症予測に対するトロポニンIの有有用性. 第6回日本心筋症研究会; 20200821-0914; Web.

喜古崇豊, 横川哲朗, 三阪智史, 及川雅啓, 小林淳, 義久精臣, 竹石恭知. 心臓サルコイドーシス患者におけ

る ^{18}F -FDG PET/MRI 所見と予後に関する検討. 第 6 回日本心筋症研究会; 20200821-0914; Web.

三阪智史, 横川哲朗, 君島勇輔, 清水竹史, 金城貴士, 義久精臣, 竹石恭知. 心不全における心筋細胞特異的セルフリーDNA の臨床的意義. 第 6 回日本心筋症研究会; 20200821-0914; Web.

君島勇輔, 三阪智史, 横川哲朗, 杉本浩一, 皆川敬治, 中里和彦, 石田隆史, 池田和彦, 竹石恭知. JAK2V617F クローン性造血は ALK1 を介して肺高血圧症を増悪させる. iHF seminar; 20201010; 東京/Web.

横川哲朗, 三阪智史, 君島勇輔, 和田健斗, 皆川敬治, 杉本浩一, 石田隆史, 池田和彦, 竹石恭知. JAK2V617F 変異陽性細胞が大動脈瘤形成を促進させる. 第 8 回 Heart Science Club; 2020128; Web.

〔特別講演〕

杉本浩一. 特別講演: 福島県立医科大学病院における肺高血圧診療. Meet the Specialists in Fukushima; 20201210; Web.

地域産婦人科支援講座

論 文

〔原 著〕

Soeda S, Watanabe T, Kamo N, Sato T, Okabe C, Ueda M, Endo Y, Manabu K, Nomura S, Furukawa S, Nishigori H, Takahashi T, Fujimori K. Successful Management of Platinum-resistant Ovarian Cancer by Weekly Nedaplatin Followed by Olaparib: Three Case Reports. *Anticancer Research*. 202009; 40(9):5263-5270.

Kojima M, Sugimoto K, Tanaka M, Endo Y, Kato H, Honda T, Furukawa S, Nishiyama H, Watanabe T, Soeda S, Fujimori K, Chiba H. Prognostic Significance of Aberrant Claudin-6 Expression in Endometrial Cancer. *Cancers*. 202009; 12(10):2748.

Murata T, Kyojuka H, Shiraiwa A, Isogami H, Fukuda T, Kanno A, Yamaguchi A, Fujimori K. Maternal pulmonary edema after 46 h of ritodrine hydrochloride administration: A case report. *Case Reports in Women's Health*. 202001; 25:e00173.

Toba N, Takahashi T, Ota K, Takanashi A, Iizawa Y, Endo Y, Furukawa S, Soeda S, Watanabe T, Mizunuma H, Fujimori K, Takeichi K. Malignant transformation arising from mature cystic teratoma of the ovary presenting as ovarian torsion: a case report and literature review. *Fukushima Journal of Medical Science*. 202004; 66(1):44-52.