福島県立医科大学学術成果リポジトリ



Fukushima radiation symposium 2014: sharing the achievement from the Fukushima Health Management Survey

メタデータ	言語: English
	出版者: The Fukushima Society of Medical Science
	公開日: 2015-07-06
	キーワード (Ja):
	キーワード (En):
	作成者: Ohto, Hitoshi, Yasumura, Seiji
	メールアドレス:
	所属:
URL	https://fmu.repo.nii.ac.jp/records/2001881

FUKUSHIMA RADIATION SYMPOSIUM 2014 : SHARING THE ACHIEVE-MENT FROM THE FUKUSHIMA HEALTH MANAGEMENT SURVEY

HITOSHI OHTO¹⁾ and SEIJI YASUMURA²⁾

¹⁾Vice President, Fukushima Medical University, and Trustee for the Fukushima Health Management Survey, ²⁾Senior Director, Radiation Medical Science Center for the Fukushima Health Management Survey, Fukushima Medical University

(Received November 6, 2014, accepted November 18, 2014)

The Fukushima Medical Association hosted a symposium on October 4, 2014, to present the largely accumulated data from the Fukushima Health Management Survey in Fukushima 3 years after the Tokyo Electric Power Company (TEPCO) Fukushima Daiichi nuclear power plant accident. The symposium aimed to promote the health of the residents physically and mentally, as a series of radiation symposia held at 2011¹⁾ and 2013²⁾ after the disaster.

Following the Great East Japan Earthquake, which occurred on March 11, 2011, the TEPCO Fukushima Daiichi nuclear power plant accident occurred. As evacuation measures, the government designated the area within 20 km from the nuclear power plant as evacuation zone and proceeded with the evacuation recommendation. In addition to transferring the municipal offices, approximately 166,000 residents were evacuated, consisting of approximately 146,000 residents who were forced to evacuate and other voluntary evacuees.

In Fukushima prefecture, 1,603 people were killed by the earthquake and tsunami, while 204 people went missing. Although no deaths were directly caused by radiation exposure, 1,758 people (as of September 21, 2014), mostly elderly, died due to earthquake-related causes effectuated by the nuclear power plant accident.

Based on the effects of the nuclear radiation, the Fukushima Health Management Survey³⁾ was initiated from July 2011 in order to oversee the future health of the residents of the Fukushima prefecture. Fukushima Medical University was entrusted with its implementation. The surveys conducted were as follows : the basic survey to assess individual external exposure dose⁴⁾ and a detailed survey including thyroid ultrasound examination, comprehensive health check, Mental health and lifestyle survey⁵⁾, and Pregnancy and Birth Survey⁶⁾.

The results from the basic survey were obtained from the answers of 420,000 respondents among the 2.05 million residents of the Fukushima prefecture. Of the respondents, 99.8% had an exposure dose less than 5 mSv in the first 4 months, suggesting an extremely low individual exposure dose.

Health risks such as mental health problems, increased obesity, and lack of exercise were observed in children⁷⁾. All of 360,000 residents aged 0-18 years were subjects who were requested to undergo thyroid ultrasound examination at the time of the earthquake. A preceding study, which aimed to elucidate who among the residents had latent thyroid cancer from before the earthquake, found some residents to have thyroid cancer⁷⁾.

In evacuated adults, the prevalence of obesity, dyslipidemia, abnormal glucose metabolism, hypertension, and renal dysfunction have increased along with aging⁸⁾. The number of excessive drinkers among evacuees has increased in conjunction with stress. Depressive status has been increasingly found in more women than men. In addition, the need for long-term care services has increased in the elderly⁹⁾.

However, the incidences of abnormal pregnancy, miscarriage, and abortion did not increase after the earthquake. The pregnancy number and birth rates in Fukushima were reduced in 2012 but recovered in 2013¹⁰⁾. The number of women who required postpartum support also remained the same.

As mentioned earlier, because the need for support to prevent physical and mental health risks has increased, efforts for health improvement have been

Corresponding author : Hitoshi Ohto E-mail : hit-ohto@fmu.ac.jp

https://www.jstage.jst.go.jp/browse/fms http://www.fmu.ac.jp/home/lib/F-igaku/

made by conducting interventions among residents in cooperation with the Fukushima prefecture and municipalities. Having knowledge in health science and disease control, Fukushima Medical University has to play the pivotal role of a think tank toward these efforts.

REFERENCES

- 1. Wada I, Ohto H. Fukushima symposium : a brief note. Fukushima J Med Sci, **57** : 69, 2011.
- Wada I, Ohto H. On a "Fukushima Radiation Symposium 2013" series. Fukushima J Med Sci, 59: 108-109, 2013.
- Yasumura S, Hosoya M, Yamashita S, *et al.* Study protocol for the Fukushima Health Management Survey. J Epidemiol, 22: 375-383, 2012.
- 4. Ishikawa T. External radiation dose estimation by the basic survey. Fukushima J Med Sci, **60**: in press, 2014.
- 5. Yabe H, Suzuki Y, Mashiko H, Nakayama Y, Hisata

M, Niwa S, *et al.* Psychological distress after the great East Japan earthquake and fukushima daiichi nuclear power plant accident : results of a mental health and lifestyle survey through the fukushima healthmanagement survey in fy2011 and fy2012. Fukushima J Med Sci, **60** : 57-67, 2014.

- Fujimori K, Kyozuka H, Yasuda S, Goto A, Yasumura S, Ota M, *et al.* Pregnancy and birth survey after the great East Japan earthquake and fukushima daiichi nuclear power plant accident in fukushima prefecture. Fukushima J Med Sci, **60**: 75-81, 2014.
- Mashiko H. Mental health of children. Fukushima J Med Sci, 60: in press, 2014.
- 8. Suzuki S. Findings from thyroid examination. Fukushima J Med Sci, **60**: in press, 2014.
- 9. Maeda M. What about the mental health of adults ? Fukushima J Med Sci, **60** : in press, 2014.
- Nomura Y. Survey of pregnant women in fukushima prefecture and future issues. Fukushima J Med Sci, 60: in press, 2014.